

PRACTICAL GUIDE

CLASS I COMPOSITE LR7




APPLY BONDING RESIN LIGHT CURE



APPLY COMPOSITE

- BULK FILL BASE (1-4)
 - Apply bulk fill base material
 - Leave 1-2mm space occlusally
 - Allow to self-level (10 seconds)
 - Light cure
 - Place capping composite (as below)
- OR
- RESTORATIVE BULK FILL (3-4)
 - Restore to occlusal surface
 - One increment



CAVITY SHOULD
APPEAR
SLIGHTLY
UNDERFILLED

REMOVE EXCESS
IF NECESSARY



PLACE 3 OCCLUSAL FOSSAE



TECHNIQUE TIP

- PLACE CENTRAL
FOSSA FIRST TO
ORIENTATE
- THEN MESIAL/DISTAL



PLACE CENTRAL
LATERAL
FISSURES



PLACE
MARGINAL
FISSURES



PLACE
MIDLINE
FISSURE



PLACE
MARGINAL
GROOVES



RESTORATION COMPLETE

- REFINE SHAPE
- REMOVE
MARGINAL EXCESS
- LIGHT CURE

